

Invitation of quotation

For

Electrical installation

in MS Office at

All India Institute of Medical Science, Gorakhpur

Inquiry number : AIIMSG-ENGG(ELECT)/2/2024-25-EPMS
Inquiry Issue date : -03/03/2025
Last date of Submission : -10/03/2025



अखिल भारतीय आयुर्विज्ञान संस्थान, गोरखपुर

All India Institute of Medical Sciences, Gorakhpur

(स्वास्थ्य एवं परिवार कल्याण मंत्रालय भारत सरकार द्वारा स्थापित एक स्वायत्त निकाय)

(An autonomous organization under the Ministry of Health & Family Welfare, Govt. of India)

Website : aiimsgorakhpur.edu.in

AIIMSG-ENGG(ELECT)/2/2024-25-EPMS

Invitation of quotation for electrical installation in MS office, AIIMS Gorakhpur

Sealed quotations are hereby invited by the undersigned on behalf of Executive Director, AIIMS Gorakhpur for electrical installation in MS Office AIIMS Gorakhpur as per terms & conditions mentioned below. The filled quotations along with all the required document must reach in the office of the undersigned on or before----02/2025 03.00 PM. The envelope containing the quotation would please be sealed and super scribed as under:-

“QUOTATION FOR ELECTRICAL INSTALLATION IN MS OFFICE, AIIMS GORAKHPUR AGAINST INQUIRY NO AIIMSG-ENGG(ELECT)/2/2024-25-EPMS” DUE ON-10/03/2025 03.00 PM”

1. Terms & conditions

a) The quotation received after the deadline & unsealed shall not be entertained under any circumstances whatsoever. In case of postal delay this Institute will not be responsible. The offer submitted by Fax/Email shall not be considered and no correspondence will be entertained in this matter.

b) Quotation must be in the enclosed prescribed performa on the letter head of the firm duly signed by the proprietor/partner/director or their authorised representative, in case of signing of quotation by the authorised representative letter of authorization must be attached with the quotation. Quotation must be dropped in in the quotation box in “office of Engineering department” located in Administrative Block of AIIMS, Gorakhpur.

c) Rates must be quoted in Indian Rupees and as per the format specified taxes extra if any must be written separately.

d) Rates must be quoted FOR basis (including freight charges, insurance, installation etc).

e) No overwriting or cutting is permitted in the rate. If found the quotation shall be summarily rejected.

f) the rates quoted must be valid for minimum 60 days from the date of opening of the quotation and silence of any tendered on this issue shall be treated as agreed with this condition.

g) Becoming L1 will not be the sole criteria for awarding of purchase order unless the rates are reasonable & justified.

h) Rates / NEFT details need to be furnished by the supplier with the quotation on the letter head of supplier/ firm/ agency.

AIMSG-ENGG(ELECT)/2/2024-25-EPMS

i) the firm/agency may satisfy the following conditions and attach self attested copy of the same with the quotation:

- Firm shall be registered with the Government of Uttar Pradesh/ central Government.
- The firm shall have valid GST/Other taxes and IT PAN.
- the firm shall not be blacklisted by any Govt. Agency/ dept.
- OEM certificate mandatory
- The specifications for the items to be executed shall be executed as per latest IS /IE rules, CPWD Rule / UL / CPCB / IE/CE/ANSI/EN, Manufacturers/OEM recommendation, specifications & norms as applicable.
- All electrical works shall be carried out in accordance with the provisions of Indian Electricity Act-1910, Indian electricity rules – 1956 amended upto date and the State Electrical Inspectorate.
- In all electrical works, relevant safety codes of practices shall be followed.
- **Run of Wiring** (i) The type of wiring shall be as specified
(ii) Above false ceiling, in no case, open wiring shall be allowed. Wiring will be done in recessed conduit or surface steel conduit.
(iii) In recessed conduit system, routes of conduit will be planned

j) Quotations qualified by such vague and indefinite expressions such as “subject to prior confirmation”, “subject to immediate acceptance” etc. will be treated as vague offers and rejected accordingly. Any conditional quotation shall be rejected summarily.

k) **Delivery period** – within 60 days with issuing the work order.

l) **Liquidated damage** – if the supplier fails to deliver the material and complete the work on or before the stipulated date, then a penalty at the rate of 0.5% per week of the total order value shall be levied subject to maximum of 10% of the total order value.

m) **Payment terms:** Payment will be only after satisfactorily delivery/commissioning of work and after inspection and confirmation by the AIIMS Gorakhpur

n) **Disputes:** In the event of any dispute or disagreement arising between the contractors and any other department of AIIMS Gorakhpur with regards to the interpretation of “Terms & Conditions” of this inquiry, the same shall be referred to the Executive Director, AIIMS Gorakhpur whose decision will be final and binding upon the contractor.

o) AIIMS, Gorakhpur reserves the right to increase or decrease quantity and / or amount of work. Decision of quantity of material in the AIIMS, Gorakhpur will be final in this regard.

p) AIIMS Gorakhpur reserves the right to reject any quotation or part or the whole of inviting quotation process without assigning any reason. Decision of the AIIMS, Gorakhpur will be final in this regard.

2. **Special terms & conditions:**

- a) bidder must quote the product as per specification provided in Annexure 1.
- b) Catalog must be attached with quotation for technical evaluation.
- c) The supplier may be asked to arranging demonstration of their equipment for which rates have been quoted, to the AIIMS Gorakhpur, if required. The expenditure incurred for demonstrating the items will be borne by the supplier.

Encl: Annexure 1(specification)
Annexure 2 (format of price bid)

Superintending Engineer

Annexure 1

AIIMSG-ENGG(ELECT)/2/2024-25-EPMS

SN o	Description	unit	Quantity
01	Supply installation testing commissioning of wall mounted 300mm sweep fan having thermal overload protection CMM >30, Abs body operating on 230volts etc as required	Nos	20
02	Supply installation testing commissioning of false ceiling mounted 600x600 mm fitting having CCT 5700 K made of Die cast aluminium body/ extruded aluminium etc cooperating on 230 volts etc as required	Nos	32
03	Wiring for light /fan point/ exhaust fan point/call bell point with 1.5 sq mm FRLs PVC insulated copper conductor single core cable etc as required		
	Group C	points	45
04	Supplying and drawing following sizes of FRLs PVC insulated copper conductor, single core cable etc as required		
a)	3 x 1.5 sq mm	mtrs	100
b)	3 x 4 Sq mm	mtrs	250
c)	6 x 4 Sq mm	mtrs	20
05	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/ recess including cutting the wall and making good the same in case of recessed		
a)	20 mm	Mtrs	90
b)	25mm	Mtrs	250
c)	32 mm	mtrs	15
06	Supplying and fixing of following modular switch/socket on the existing modular plate & switch box including connections but		

	excluding modular plate etc as required		
a)	5/6	Nos	15
b)	15/16	Nos	40
c)	3 pin 5/6 amp socket outlet	Nos	15
d)	6 pin 15/16 amp socket outlet	Nos	40
7	Supplying and fixing of following size/modules GI Box alongwith modular base & cover plate for modular switches in recess etc as required		
a)	3 module(100 mm x 75 mm)	Nos	15
b)	6 module (200 mm x 75 mm)	Nos	20
	MCCB, MCB & DB's		
8	Supplying and fixing of following way, single and neutral, sheet steel, MCB distribution board, 240 volts, on surface/earth bar, din bar, interconnection, powder painted including earthing etc as required. (But without MCB/RCCB/ Isolator)		
	12 way double door	Nos	4
9	Supplying and fixing 5 amp to 32 amps rating 240/415 volts, 10 KA, "C" curve, miniature circuit breaker suitable for inductive load of following poles, in the existing MCB DB complete with connections, testing and commissioning etc as required.		
a)	Single pole	Nos	40
b)	Triple pole and neutral	Nos	4
10	Supplying and fixing single pole blanking plate in the existing MCB DB complete etc. as required	Nos	30
11	Supplying and fixing of following rates, four pole 415 volts isolator in the existing MCB DB complete with connections testing and commissioning etc. as required.		
	40 amps	Nos	7

12	Supplying and fixing of following rating double pole (single phase and neutral) 240 volts residual current circuit breaker (RCCB), having a sensitivity current 30 m A, in the existing MCB DB complete with connections, testing and commissioning etc. as required		
	40 amps	Nos	4
13	Supplying and fixing Cable end box(loose wire box)(IP 43) suitable for following single pole and neutral, sheet steel MCB distribution board,240 volt on surface/recess, complete with testing and commissioning etc. as required.		
	Four way double door SPN MCB DB	Nos	4
14	Supplying and fixing of following suitable size GI Box with modular plate and cover in front on surface or in recess including providing and fixing 32 A modular socket outlet and 32 A modular SP MCB,"C" curve including connection painting etc as required.	Nos	10
15	Frosted film	sqm	82

Note:- The supplier may be asked to arrange demonstration of their material for which rates have been quoted to AIIMS Gorakhpur if required. The expenditure incurred for demonstrating the material will be borne by the supplier.

AIIMSG-ENGG(ELECT)/2/2024-25-EPMS

(On the Letter Head of Firm)

ANNEXURE"2"

PRICE BID FORM

To,

The Superintending engineer
AIIMS Gorakhpur

Dear Sir,

I/wesubmitted the quotation for Enquiry No "QUOATION FOR ELECTRICAL INSTALLATION IN MS OFFICE AIIMS GORAKHPUR AGAINST INQUIRY NO AIIMSG-ENGG(ELECT)/2/2024-25-EPMS" DUE ON -10/03/2025 03.00 PM" at AIIMS Gorakhpur/we thoroughly examined, understood and accepted terms & conditions given in the enquiry document, failing which may quotation will be rejected out rightly.

1. I/we hereby offer to supply and install at the following rates

S No	Description	Qty	Quote make	Price/unit exclusive of GST(INR)	GST / Other tax	Price/unit inclusive of GST(INR)	Total cost inclusive of GST(INR)	MR P
01	Supply installation testing commissioning of wall mounted 300mm sweep fan having thermal overload protection CMM >30, Abs body operating on 230volts etc as required							

02	Supply installation testing commissioning of false ceiling mounted 600x600 mm fitting having CCT 5700 K made of Die cast aluminium body/ extruded aluminium etc cooperating on 230 volts etc as required							
03	Wiring for light /fan point/ exhaust fan point/call bell point with 1.5 sq mm FRLs PVC insulated copper conductor single core cable etc as required							
	Group C							
04	Supplying and drawing following sizes of FRLs PVC insulated copper conductor, single core cable etc as required							
a)	3 x 1.5 sq mm							
b)	3 x 4 Sq mm							
c)	6 x 4 Sq mm							
05	Supplying and fixing of following sizes of medium class PVC							

	conduit along with accessories in surface/ recess including cutting the wall and making good the same in case of recessed							
a)	20 mm							
b)	25mm							
c)	32 mm							
06	Supplying and fixing of following modular switch/socket on the existing modular plate & switch box including connections but excluding modular plate etc as required							
a)	5/6							
b)	15/16							
c)	3 pin 5/6 amp socket outlet							
d)	6 pin 15/16 amp socket outlet							
7	Supplying and fixing of following size/modules GI Box alongwith modular base & cover plate for modular switches in recess etc as required							
a)	3 module(100 mm x 75 mm)							

b)	6 module (200 mm x 75 mm)							
	MCCB, MCB & DB's							
8	Supplying and fixing of following way, single and neutral, sheet steel, MCB distribution board, 240 volts, on surface/earth bar, din bar, interconnection, powder painted including earthing etc as required. (But without MCB/RCCB/ Isolator)							
	12 way double door							
9	Supplying and fixing 5 amp to 32 amps rating 240/415 volts, 10 KA , "C" curve, miniature circuit breaker suitable for inductive load of following poles, in the existing MCB DB complete with connections, testing and commissioning etc as required.							
a)	Single pole							

b)	Triple pole and neutral							
10	Supplying and fixing single pole blanking plate in the existing MCB DB complete etc. as required							
11	Supplying and fixing of following rates, four pole 415 volts isolator in the existing MCB DB complete with connections testing and commissioning etc. as required.							
	40 amps							
12	Supplying and fixing of following rating double pole (single phase and neutral) 240 volts residual current circuit breaker(RCCB), having a sensitivity current 30 m A, in the existing MCB DB complete with connections, , testing and commissioning etc. as required							
	40 amps							
13	Supplying and fixing Cable end box(loose							

	<p>wire box)(IP 43) suitable for following single pole and neutral, sheet steel MCB distribution board,240 volt on surface/recess, complete with testing and commissioning etc. as required.</p>							
	<p>Four way double door SPN MCB DB</p>							
14	<p>Supplying and fixing of following suitable size GI Box with modular plate and cover in front on surface or in recess including providing and fixing 32 A modular socket outlet and 32 A modular SP MCB,"C" curve including connection painting etc as required.</p>							
15	<p>Frosted film</p>							

Note:-

1. The bidder must quote single make.
2. The bidder must quote their quotation only in above said format on the letter head of firm otherwise quotation will be **REJECTED.**
3. Catalog must be attached with quotation for technical evaluation.
4. The supplier may be asked to arranging demonstration of their equipment for which rates have been quoted, to the AIIMS Gorakhpur if required. The expenditure incurred for demonstrating the items will be borne by the supplier.

Date _____ Name _____

Place _____ Name of Firm/Company/Agency _____

Bank name _____

Bank Account No _____

IFSC code _____

Branch Name _____

Phone No _____

Email _____

(Signature Authorized Person) _____