

(स्वास्थ्य एवं परिवार कल्याण मंत्रांलय भारत सरकार द्वारा स्थापित एक स्वायत्त निकाय) (An autonomous organization under the Ministry of Health & Family Welfare, Govt. of India)

Quotation No.: Admn/Gen/2025-AIIMS.GKP/ 335

COMP-4205

Dated: 07.08.2025

Subject: Inviting Quotations for Purchase of Consumables for Department of Dentistry at, AIIMS, Gorakhpur.

Quotations are invited from intending registered stockiest /Distributors/ Suppliers/ OEMs having GST and relevant documents for purchase of Consumables Items at AIIMS, Gorakhpur. The quotation should be dropped in the Quotation Box located at Ground Floor of Administrative Block, Medical College Building, AIIMS, Gorakhpur, U.P. latest by 14th August, 2025 till 4:00 pm. Any quotation received through e-mail or after the last date will not be entertained.

List of consumables for Department of Dentistry at AllMS, Gorakhpur

S. No	Dental Consumables	Specification	Quantity Required
1.	Pit and Fissure Sealant	Colour - White Classification on method - Polymerisation method Types - Resin based Activation Methods - IV generation fluoride releasing Polymerisation Method - Light Activation Viscosity Type - Low viscosity	5
2.	Stainless Steel Diamond Burs For airotor handpiece, End Type Shape - Straight Flat End	 a) Pack of 5 pieces b) Working Length - 8 millimetre c) Grit Type - Medium d) Total Length - 22.1 millimetre e) Shank Material - Stainless Steel 	10
3.	Stainless Steel Diamond Burs For airotor handpiece, End Type Shape - Single Inverted Cone	 a) Pack of 5 pieces b) Working Length - 4 millimetre c) Grit Type - Medium d) Total Length - 19 millimetre e) Shank Material - Stainless Steel 	15
4.	Stainless Steel Diamond Burs For airotor handpiece, End Type Shape - Ball Round Type	 a) Pack of 5 pieces b) Working Length - 5 millimetre c) Grit Type - Fine d) Total Length - 19 millimetre e) Shank Material - Stainless Steel 	20

Furer



5.	Stainless Steel Diamond Burs For airotor handpiece, End Type Shape - Ball Round Type	 a) Pack of 5 pieces b) Working Length - 2 millimetre c) Grit Type - Medium d) Total Length - 30 millimetre e) Shank Material - Stainless Steel 	20
6.	Stainless Steel Diamond Burs For airotor handpiece, End Type Shape - Ball Round Type	 a) Pack of 5 pieces b) Working Length - 3 millimetre c) Grit Type - Medium d) Total Length - 20 millimetres e) Shank Material - Stainless Steel 	15
7.	Stainless Steel Diamond Burs For airotor handpiece, End Type Shape - Ball Round Type	a) Pack of 5 pieces b) Working Length - 1.8 millimetre c) Grit Type - Medium d) Total Length - 19 millimetre e) Shank Material - Stainless Steel	15
8.	Etchant gel	Silica free - Yes Orthophosphoric acid - 37 percent Shelf Life - 3 year Packaging Size - 1x3 gm syringe	3
9.	Dentin bonding agent	Light cure adhesive resin Quantity — 5ml	2
10	Dental Composite	Categories – Packable Packaging Size - 4 gram Shade – B1	2
11	Composite kit with etchant and bonding agent	Syringe Weight - 3.5 gram Etchant - 5 millilitre No.of syringe with composite paste - 5 Type of Syringe Supplied - A1, A2, A3, B1, B2 Adhesive Bond - 5 millilitre	
12	Wooden V shaped dental wedges	Size - Medium Length - 13 millimetre Shape - V-Shape Material - Wooden Disposable - Yes Colour coded - Yes Packaging Size - 100 Manufacturer Certifications ISO - ISO13485 Certifications and Approvals - CE, FDA	20





13 Composite finish and polishing	Sterility - Sterile	2
kit	Type of Grit Contains - Fine	
	Composition - Green silicon carbide stones & White aluminium oxide stones	
	Polishers Shapes - CN1 and FL2 for reduction of excess material, Contra Angle, Bullet, Knife, Wheel, Cup, Disk	
	No. of White aluminium oxide stones Polishers inside pack - 4	
	No. of Green silicon carbide stones Polishers inside pack - 4	
457.	Pack of Total no. of Polishers inside pack - 12 pes	
	Composite Fine Polishers - 4	
	Composite Polishers - 4	
	Manufacturer Certifications ISO 9001:2015 or latest	
1.00	Certifications and Approvals CE	
14 Endodontic files K File No.8	Material - Stainless Steel Type - K-File Length - 21 millimetre Size - 8 Technique - 45 dig helical angle Number of files per pack - 6 Warranty - 18 month	10
15 Endodontic files K File No.8	Material - Stainless Steel Type - K-File Length - 25 millimetre Size - 8 Technique - 45 dig helical angle Number of files per pack - 6 Warranty - 18 month	10
16 Endodontic files K File No.25	Material - Stainless Steel Type - K-File Length - 21 millimetre Size - 25 Technique – 180-degree rotating motion Number of files per pack - 6 Warranty - 18 month	10



			7
		Product conformity certificate is to be provided to the buyer at the time of supply Yes	
		Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	
1	7 Endodontic files K File No.30	Material - Stainless Steel Type - K-File Length - 21 millimetre Size - 30	10
		Technique – 180-degree rotating motion Number of files per pack - 6 Warranty - 18 month	
		Product conformity certificate is to be provided to the buyer at the time of supply Yes	
31-7		Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	
18	Endodontic files K File No.30	Material - Stainless Steel Type - K-File Length - 25 millimetre Size - 30	10
		Technique – 180-degree rotating motion Number of files per pack - 6 Warranty - 18 month	
		Product conformity certificate is to be provided to the buyer at the time of supply Yes	
-		Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	
19	Endodontic files K File No.35	Material - Stainless Steel Type - K-File Length - 21 millimetre Size - 35	10





		Technique – 180-degree rotating motion Number of files per pack - 6 Warranty - 18 month	
		Product conformity certificate is to be provided to the buyer at the time of supply Yes	
		Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	du.
	Endodontic file K file 45-80	Material - Stainless Steel Type - K-File Length - 21 millimetre Size - 45-80 Technique - 180-degree rotating motion Number of files per pack - 6 Warranty - 18 month	10
		Product conformity certificate is to be provided to the buyer at the time of supply Yes Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	
21	Endodontic file K file 45-80	Material - Stainless Steel Type - K-File Length - 25 millimetre Size - 45-80 Technique - 180 degree rotating motion Number of files per pack - 6 Warranty - 18 month	10
	*	Product conformity certificate is to be provided to the buyer at the time of supply Yes Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	
2:	2 Endodontic file K file 90140	Material - Stainless Steel Type - K-File	5



		Length - 21 millimetre Size - 90140 Technique - 180 degree rotating motion Number of files per pack - 6 Warranty - 18 month Product conformity certificate is to be provided to the buyer at the time of supply Yes Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared	
		specification at the time of supply - Yes	
2	Endodontic file K file 90140	Material - Stainless Steel Type - K-File Length - 25 millimetre Size - 90140 Technique - 180 degree rotating motion Number of files per pack - 6 Warranty - 18 month	5
Maria Maria		Product conformity certificate is to be provided to the buyer at the time of supply Yes Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	
2-	Endodontic files H File No.15	Material - Stainless Steel Type - Hedstrom File Length - 25 millimetre Size - 15 Technique – 180 degree rotating motion Number of files per pack - 6 Warranty - 18 month Product conformity certificate is to be provided to the buyer at the time of supply Yes Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply	10



25	Endodontic files H File No.25	Material - Stainless Steel Type - Hedstrom File Length - 21 millimetre Size - 25 Technique – 180 degree rotating motion Number of files per pack - 6 Warranty - 18 month Product conformity certificate is to be provided to the buyer at the time of supply Yes	10
		Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	
26	Endodontic files H File No.30	Material - Stainless Steel Type - Hedstrom File Length - 21 millimetre Size - 30 Technique — 180 degree rotating motion Number of files per pack - 6 Warranty - 18 month Product conformity certificate is to be provided to the buyer at the time of supply Yes Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	10
27	Endodontic files H File No.30	Material - Stainless Steel Type - Hedstrom File Length - 25 millimetre Size - 30 Technique — 180 degree rotating motion Number of files per pack - 6 Warranty - 18 month Product conformity certificate is to be provided to the buyer at the time of supply Yes Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report	10



		to prove the conformity to declared specification at the time of supply - Yes	
28	Endodontic files H File No.35	Material - Stainless Steel Type - Hedstrom File Length - 21 millimetre Size - 35	10
		Technique – 180 degree rotating motion Number of files per pack - 6 Warranty - 18 month	
		Product conformity certificate is to be provided to the buyer at the time of supply Yes	
		Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	
29	Endodontic files H File No.35	Material - Stainless Steel Type - Hedstrom File Length - 25 millimetre Size - 35 Technique – 180 degree rotating motion Number of files per pack - 6 Warranty - 18 month	10
		Product conformity certificate is to be provided to the buyer at the time of supply Yes	
		Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	<u>le</u>
30	Endodontic files H File No.40	Material - Stainless Steel Type - Hedstrom File Length - 21 millimetre Size - 40	10
		Technique – 180 degree rotating motion Number of files per pack - 6 Warranty - 18 month	
		Product conformity certificate is to be provided to the buyer at the time of supply Yes	





स्वास्थ्य एवं परिवार कल्याण मंत्रालय भारत सरकार द्वारा स्थापित एक स्वायत्त निकाय) (An autonomous organization under the Ministry of Health & Family Welfare, Govt. of India)

		Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	
	Endodontic files H File No.40	Material - Stainless Steel Type - Hedstrom File Length - 25 millimetre Size - 40 Technique - 180 degree rotating motion Number of files per pack - 6 Warranty - 18 month	10
		Product conformity certificate is to be provided to the buyer at the time of supply Yes Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared	
32	Endodontic file H file 45-80	specification at the time of supply - Yes Material - Stainless Steel Type - Hedstrom File Length - 21 millimetre Size - 45-80 Technique - 180 degree rotating motion Number of files per pack - 6 Warranty - 18 month	10
		Product conformity certificate is to be provided to the buyer at the time of supply Yes Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	
3	3 Endodontic file H file 45-80	Material - Stainless Steel Type - Hedstrom File Length - 25 millimetre Size - 45-80 Technique - 180 degree rotating motion Number of files per pack - 6 Warranty - 18 month	10

Princip



(स्वास्थ्य एवं परिवार कल्याण मंत्रालय भारत सरकार द्वारा स्थापित एक स्वायत्त निकाय) (An autonomous organization under the Ministry of Health & Family Welfare, Govt. of India)

			Visit and the second
		Product conformity certificate is to be provided to the buyer at the time of supply Yes Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	
3	Endodontic File K File 15-40	Material - Stainless Steel Type - K File Length - 31 millimetre Size - 15-40 Technique - 180 degree rotating motion Number of files per pack - 6 Warranty - 18 month Product conformity certificate is to be provided to the buyer at the time of supply Yes	10
		Submission of Test Report on form 39 or from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	
35	Endodontic File K File 15-40	Material – Nickel titanium Type - K File Length - 25 millimetre Size – 15-40 Technique – 90 dig CW Reaming Motion Number of files per pack - 6 Warranty - 18 month	10
		Product conformity certificate is to be provided to the buyer at the time of supply Yes Submission of Test Report on form 39 or	
		from Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply - Yes	
36	Endodontic Spreaders 21mm 15-40	Material - Nickel Titanium Type - S-File Length - 13 millimetre Size - 6 Technique - 45 deg CW Filing Motion Number of files per pack - 6	20

& week



37 Endodontic Spreaders 25mi 15-40	n Material - Nickel Titanium	20
	Type - S-File	
	Length - 13 millimetre	
	Size - 6	
	Technique - 45 dig CW Filing Motion	
	Number of files per pack - 6	
38 Barbed broaches	Material - Stainless Steel	10
	Type - Barbed Broach	
	Length - 21 millimetre	
	Size - 15-60	
	Technique - 180 deg Rotating Motion	li di
	Number of files per pack - 10 (Assorted)	
39 Gutta percha points (15-40)	Size colour codes supplied - White, Yellow, Red. Blue, Green, Black	20
	Material - Matrix Gutta Percha, Filler Zinc Oxide, radio pacifier heavy metal surfaces	
	Gutta Percha Accessory Size supplied in kit box - XF, FF, MF, F, FM, M, ML, L, XL .XF/M	
	Tip Size No. Supplied in kit box - 15,20,25,30,35,40	
	Shelf Life - 24 month	1
	Percentage Of Taper of Points - 0.02	
	Features - Laser inspected ,0.029mm Tolerance, Excellent radiopacity Uniform and non-distorting crimp)
	Packaging Size (points) - 120	
	Certifications and Approvals - CE	
	Manufacturer Certifications - ISO 9001:2015 or latest, ISO 13485 :2016 or Latest	






	40	Gutta percha points (45-80)	Size colour codes supplied - White, Yellow, Red, Blue, Green, Black	20	
			Material - Matrix Gutta Percha, Filler Zine Oxide, radio pacifier heavy metal surfaces		
			Gutta Percha Accessory Size supplied in kit box - XF, FF, MF, F, FM, M, ML, L, XL, XF/M		
			Tip Size No. Supplied in kit box - 45,50,55,60,70,80		
			Shelf Life - 24 month		
			Percentage Of Taper of Points - 0.02		
			Features - Laser inspected ,0.029mm Tolerance .Excellent radiopacity ,Uniform and non-distorting crimp		
1			Packaging Size (points) - 120		
			Certifications and Approvals - CE		
			Manufacturer Certifications - ISO 9001:2015 or latest ,ISO13485 :2016 or Latest		
	41	Gutta percha points (15-40)	Size colour codes supplied - White ,Yellow ,Red ,Blue ,Green ,Black	10	
			Material - Matrix Gutta Percha ,Filler Zinc Oxide ,radio pacifier heavy metal surfaces		
			Gutta Percha Accessory Size supplied in kit box - XF .FF ,MF ,F ,FM ,M ,ML ,L ,XL ,XF/M		
			Tip Size No. Supplied in kit box - 15,20,25,30,35,40		
			Shelf Life - 24 month		
			Percentage Of Taper of Points - 0.04		
		l l	Features - Laser inspected ,0.029mm Tolerance ,Excellent radiopacity ,Uniform and non-distorting crimp		
			Packaging Size (points) - 60		
			Certifications and Approvals - CE		





		Manufacturer Certifications - ISO 9001:2015 or latest ,ISO13485 :2016 or Latest	
	Gutta percha points (15-40)	Size colour codes supplied - White ,Yellow ,Red ,Blue ,Green ,Black	10
		Material - Matrix Gutta Percha ,Filler Zinc Oxide ,radio pacifier heavy metal surfaces	
		Gutta Percha Accessory Size supplied in kit box - XF ,FF ,MF ,F ,FM ,M ,ML ,L ,XL ,XF/M	
		Tip Size No. Supplied in kit box -15,20,25,30,35,40	
		Shelf Life - 24 month	
		Percentage Of Taper of Points - 0.06	
		Features - Laser inspected .0.029mm Tolerance ,Excellent radiopacity ,Uniform and non-distorting crimp	
-0		Packaging Size (points) - 60	
	AL.	Certifications and Approvals - CE	
		Manufacturer Certifications - ISO 9001:2015 or latest ,ISO13485 :2016 or Latest	
43	Absorbent paper points No. 15 to 40	Sterilised Spill proof box – 200 pieces Percentage of Taper of Points - 0.02	30
44	Absorbent paper points No. 15 to 40	Sterilised Spill proof box – 200 pieces Percentage of Taper of Points - 0.04	30
4.	Absorbent paper points No. 15 to 40	Sterilised Spill proof box – 200 pieces Percentage of Taper of Points - 0.06	20
40	Absorbent paper points No. 45 to 80	Sterilised Spill proof box – 200 pieces Percentage of Taper of Points - 0.02	20





47	Absorbent paper points No. 45 to 80	Sterilised Spill proof box – 200 pieces Percentage Of Taper of Points - 0.04	20
48	Formocresol	Dental Pulp Fixation solution Composition: formalin, cresol, and glycerine Shelf Life- Min 3 year Packaging Size - 20 millilitre Manufacturer Certifications - ISO 9001:2015 or latest JSO13485:2016 or Latest Certifications and Approvals - CE	2
49	Topical Fluoride Varnish with calcium and phosphate	Weight: 0.4 kg Dimensions: 11x11x11cm Flavour: fresh mint/fresh strawberry pack: 35pc/pack	2
50	Fluoride Varnish	Category: Topical Fluoride Type: Dental Varnish Form: Slow Release Fluoride Dental Varnish Usage: For prevention of caries and hypersensitivity Composition: Sodium Fluoride Flavour: Mixed fruit flavour Dosage: 22600 ppm Volume: 0.4ml (Single Dose)	100
51	Silver Diamine Fluoride 38%	Composition: • 38% Diamine Silver Fluoride Quantity – 5ml	2
52	Rubber dam sheets 6X6	 Type: Rubber Dam Sheet Category: Endodonties Size: 6" x 6"(152mm x 152mm) Colour: Green Strength: Medium Package of 36 pieces	5
53	Rubber dam sheets 5X5	 Type: Rubber Dam Sheet Category: Endodonties Size: 5" x 5" Colour: Green Strength: Medium Package of 52 pieces	5
54	Temporary filling cement	 Quantity – 40g Composition: Zinc oxide, Calcium Sulphate, Zinc Sulphate, excipients 	15





		 Curing Method: Self-curing under humid conditions Drug Impermeability: Impermeable to drugs Recommended Use: Temporary filling for cavities; drug closures Type of cement - Temporary coment. Removal: Use rotary instrument or stiff probe for removal Shelf Life: 3 years The shade of Cement - A2, Universal shade. 	43
55	Calcium hydroxide paste	 Category: Temporary filling material Type: Water based Usage: Temporary root filling As liner for pulp capping direct or indirect procedure For capping after pulpotomy Composition: Calcium Hydroxide Barium Sulphate Water Base PH: ≥12.5 	10
56	Calcium hydroxide powder	Composition - Calcium Hydroxide Powder 1 x 50gm Powder	2
57	White petroleum jelly	Non perfumed 500gm	5
58	Braided Glass Fiber impregnated with light-cured composite resin	 1 x Fiber (8.5 cm long) Fiber structure: Intertwined scaffold Optical: Translucent Thickness: 0.2 mm Width: 2 mm Length: 8.5 cm Polymerization time: 20 sec. per segment Composition: Glass Fibers (weight) - 60 ± 5%. Impregnated resin (weight) 40 ± 5%: Bis-GMA Di urethane Barium glass Silicon dioxide 	10



		Catalysts	
59	Non eugenol calcium hydroxide formula root canal sealer	 Calcium hydroxide polymer Base (12g tube) + Catalyst (18g tube). Base Component: N-ethyl-o(or p)-toluene sulphonamide: 30-60% Calcium oxide: 30-60% Zinc oxide: 1-5% Zinc distearate: 1-5% Catalyst Component: Methyl salicylate: 10-30% 2,2-dimethylpropane-1,3-diol: 1-5% Isobutyl salicylate: 1-5% 	2
60	Bio ceramic Sealer	 Composition: Calcium Silicates, Zirconium Oxide, Calcium Sulphate, Accelerators, Thickening Agents Form: Paste Application: Root canal scaling, apexification Setting Time: Optimal for prolonged placement I x 3gm Paste x application tips 	2
61	Premixed calcium hydroxide pastes with iodoform	Kit Contents: 2 x 2.2gm Disposable tips 1 ring for direction control of the tip Prefilled syringe, containing 2.0 g of paste Light-proof storage case, 20 tips and accessories Premixed Paste - for immediate use with minimal material waste and clean-up Syringe tip delivery -for excellent access and control during placement Formulated with iodoform - for incresed radiopacity and antibacterial effect Treatment options - can also be used with gutta percha and root canal cements	5





62 Gas For Solder Torch .	 Pin-type Canister with High-Pressure Premium Fuel for Brazing. Higher propane content for High-Temperature Applications. UN 2037 + EN417 Compliant. Propane (15%), Isobutane (22%), N-Butane (63%).	5
63 Ortho dontic Band Material	 Length – 26 ft Size: 180" X .004" Size: 180" X .005" Size: 180" X .006" Material: Polished and malleable stainless steel 	3
64 MTA based root repair material	Powder – 1gram & Liquid – 2ml Composition: Powder: Di-Calcium Silicate, Tri- Calcium Silicate and Tricalcium Aluminate, Zirconium Oxide Liquid: Calcium chloride in purified water Technical Data: Initial Setting time - 16min Compressing resistance MPa - 45±2 Solubility % - 0.58 pH value - 12.8	10
65 MTA based endodontic sealer	Quantity- 12gram Working Time:35 minutes Setting time average: 130 minutes 2 paste system COMPONENT NAME PASTE A PASTE B Salicylate resin Fumed Silica Titanium Dioxide Bismuth Trioxide Mineral Trioxide Aggregate (40%) Fumed Silica Base resin	1
66 Premixed MTA putty	 Quantity – 2 X .7 grams Working time at room temperature: 10+hrs Initial Setting time at 37 C, in vivo (or moist environment): Approx 4-5 hrs Solubility: <4% Dimensional Stability: +0.05-0.10% expansion Colour: Off White Composition: 	10



(स्वास्थ्य एवं परिवार कल्याण मंत्रालय भारत सरकार द्वारा स्थापित एक स्वायत्त निकाय) (An autonomous organization under the Ministry of Health & Family Welfare, Govt. of India)

		 Mineral Trioxides: <80 Tricalcium Silicate Dicalcium Silicate Tricalcium Aluminate Zirconium OxidePate Forming Agents 	
67	Bio dentin Pack of 5 capsules	 Total handling time 12 min Mixing and placement time 6 min Setting time in mouth - 6 min COMPOSITION Tricalcium silicate powder Aqueous calcium chloride solution 	2
68	Endo cold spray for tooth vitality test	 For freezing pellets and dental rolls Spray nozzle for precise application Odourless No CFC Operates at -50°C for precise nerve assessment 1 x Bottle of 200ml 1 x Spray tube Composition: Ethyl chloride Propane/Butane 	2

^{*}The Shelf Life of Materials Should be Minimum of two years, wherever applicable

Terms & Condition

- 1. Firm to mention Make/Brand name in their quotation along with price. Sample may be asked for evaluation before final placement of order.
- 2. Prices should be clearly mentioned in the offer.
- 3. The sealed envelope should bear quotations number and the subject of quotation.
- 4. Supply should be made within 15 days from the date of purchase order.
- 5. Price should be inclusive of freight on road charges.
- 6. Quotation will be evaluated on total value basis.
- 7. Order will be placed to the L-1 vendor on total value basis.
- 8. Validity of the quotation should be 30 days from the date of opening and validity period should be clearly mentioned in the quotation.
- 9. Sample to be submitted as and when asked for.
- 10. Selected Supplier must have Valid License for supply the demand items.
- 11. Firm to submit documentary evidence in support of claim of GST at the time of submission of bills.
- 12. Following quotations will be summarily rejected:
 - x. Quotations not received in sealed envelope
 - xi. Quotations without quotation enquiry number
 - xii. Quotations received without mentioning of Subject at the top of envelope
 - xiii. Quotations received without mentioning of Name of the firm on envelope

Parel



(स्वास्थ्य एवं परिवार कल्याण मंत्रालय भारत सरकार द्वारा स्थापित एक स्वायत्त निकाय) (An autonomous organization under the Ministry of Health & Family Welfare, Govt. of India)

xiv. Quotations without GSTIN Number.

xv. Quotations without Date.

xvi. Quotations without validity period.

xvii. Quotations without mentioning of GST amount.

xviii. Quotations without price quoted against each item

- 13. The quotation should be submitted only during Working Days & Office hours i.e. Monday to Friday (9 AM to 5 PM) & Saturday (9 AM to 2 PM)
- 14. For any clarifications, kindly contact at email address: aoofficeaiimsgkp@gmail.com.

Adminstrative officer AIIMS Gorakhpur

CC to-

1-Incharge, Website Committee, AIIMS GKP for uploading it on AIIMS, Gorakhpur website.