

**Form - IV (See rule 13)
MONTHLY REPORT
(February 2026)**

S.No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	Executive Director
	(ii) Name of HCF or CBMWTF	:	All India Institute of Medical Sciences, Gorakhpur
	(iii) Address for Correspondence	:	All India Institute of Medical Sciences, Kunraghat, Gorakhpur
	(iv) Address of Facility	:	All India Institute of Medical Sciences, Kunraghat, Gorakhpur
	(v) Tel. No, Fax. No	:	05512205501
	(vi) E-mail ID	:	info@aiimsgorakhpur.edu.in
	(vii) URL of Website	:	www.aiimsgorakhpur.edu.in
	(viii) GPS coordinates of HCF or CBMWTF	:	-
	(ix) Ownership of HCF or CBMWTF	:	Autonomous Organisation
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	:	Authorization No.: 23478270 and Date:-19/01/2024 valid up to 31/12/2028
(xi). Status of Consents under Water Act and Air Act	:	Not applicable	
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	Yes
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	-
	(iii) License number and its date of expiry	:	23478270 and Date:-19/01/2024 valid up to 31/12/2028
3.	Details of CBMWTF	:	Not Applicable
	(i) Number healthcare facilities covered by CBMWTF	:	-
	(ii) No of beds covered by CBMWTF	:	-
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	NA Kg per day

Shubham
05/03/2026

(Signature)
(Sd/-, SMO)

(Signature)
6/3/26
Page 1 of 4

Saxena (Sd/-)
6/3/26
SNO

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	NA Kg/day			
4.	Quantity of waste generated or disposed in Kg	:	Yellow Category: 4372.6 kg Red Category: 7751.8 kg White: 177.6 kg Blue Category: 1394.9 kg General Solid waste: 43902.5kg			
5	Details of the Storage, treatment, transportation, processing and Disposal Facility					
	(i) Details of the facility on-site storage	:	Size: (10.3 x 7.1 x 4.5)			
			Capacity: -			
			Provision of on-site storage: (cold storage or any other provision)			
	(ii) Details of the treatment or disposal facilities	:	Type of treatment equipment	No of units	Capacity Kg/ day	Quantity treated or disposed in kg/annum
		Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:			Handled by CBMWTF	
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.): Handled by CBMWTF				
(iv) No of vehicles used for collection and transportation of biomedical waste	:	01 vehicle				
(v) Details of incineration ash and ETP sludge generated and disposed		Quantity generated	Where disposed			

Shankar 05/23/26

Shankar (LH, SHO)

6/13/26

Sankar (SHO) 6/13/26

	during the treatment of wastes in Kg per annum	Incineration Nil Ash: Nil ETP Sludge: NA
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	AV Biomedical waste services.
	(vii) List of members HCF not handed over bio-medical waste.	Nil
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	--
7	Details of training conducted on BMW	Ssegregation and disposal of waste and needle stick injury management
	(i) Number of trainings conducted on BMW Management.	33
	(ii) number of personnel trained	54
	(iii) number of personnel trained at the time of induction	-
	(iv) number of personnel not undergone any training so far	-
	(v) whether standard manual for training is available?	NO
	(vi) any other information)	
8	Details of the accident occurred during the month	Needle stick injury
	(i) Number of Accidents occurred	03
	(ii) Number of the persons affected	03
	(iii) Remedial Action taken (Please attach details if any)	Proper management was done
	(iv) Any Fatality occurred, details.	NO
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not meet the standards?	Not Applicable
	Details of Continuous online emission monitoring systems installed	Not applicable
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	STP/ETP
11.	Is the disinfection method or sterilization meeting the log 4 standards?	Not applicable

S. Subramaniam
05/03/2026
A. K. S. P.

10/11/26
6/2/26

Saksheer (SNO)
6/2/26
F.W.

	How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator): NA

Certified that the above report is for the period from 1st February 2026 to 28th February 2026

Date: 05/03/2026
Place: Gorakhpur


Name and Designation: **Dr. Ajay Shrivastava** (अजय भारती)
All India Institute of Medical Sciences, Gorakhpur-273008
अखिल भारतीय आयुर्विज्ञान संस्थान, गोरखपुर-273008

Shubham
05/03/2026

Alankar Singh
(101, 5110)

Sanku
6/3/26
(100, 500)

[Signature]
6/3/26